

Soap Dispensers

- First class material, including stainless steel lock
- Anti-dripping and anti-corrosion valve
- Maximal convenience, suitable for all types of soap, except for surgical soap.
- Housing with 1 viewing slot to show when the refill is required

To be installed in all areas. Ideal for restaurant, office , hotels, etc.





13.301

capacity: **0.6L**

material: AISI 304 stainless steel

finish: satin



13.302

capacity: **0.8L**

material: AISI 304 stainless steel

finish: satin

COMPONENTS & MATERIALS

- Automatic operation triggered by infrared sensors.
- LED flashes when the batteries need to be replaced.
- Suitable for neutral pH, chlorine-free liquid hand soap.
- Suitable for disinfectant solutions, liquid soaps or hydroalcoholic gel.
- Content viewer on the front.
- Lock and special key supplied.
- Adjustable distance detector for 5–10 cm.
- Power Supply: 6x1.5V "AA" size alkaline battery.
(Batteries not included in dispenser.)

TECHNICAL SPECIFICATIONS


13.301

Body thickness	1.0mm
Suitable soaps	dermatological
Quantity dispensed per pump	0.8–1.6ml
Weight	1.3 kg


13.302

Body thickness	1.0mm
Suitable soaps	dermatological
Quantity dispensed per pump	1.0–1.5ml
Weight	1.0 kg

13.301



13.302



13.311

capacity: 1.0L

material: ABS

finish: white



13.312

capacity: 0.8L

material: ABS

finish: white



13.321

capacity: 1.0L

material: ABS

finish: white



COMPONENTS & MATERIALS

- Automatic operation triggered by infrared sensors.
- Suitable for neutral pH, chlorine-free liquid hand soap.
- Suitable for disinfectant solutions, liquid soaps or hydroalcoholic gel.
- Content viewer on the front.
- Lock and special key supplied.
- Adjustable distance detector for 5–15 cm.

13.311 13.321

- Power Supply: 3x1.5V "C" size alkaline battery.

13.312

- Power Supply: 3x1.5V "AA" size alkaline battery.
(Batteries not included in dispenser.)


TECHNICAL SPECIFICATIONS

13.311 13.321

Body thickness	2.8mm
Suitable soaps	dermatological
Quantity dispensed per pump	0.8ml
Weight (13.311)	0.8 kg
Weight (13.321)	0.85 kg

13.312

Body thickness	2.8mm
Suitable soaps	dermatological
Quantity dispensed per pump	1.0ml
Weight	0.75 kg





13.103

capacity: 1.0L

13.104

capacity: 1.2L

material: AISI 304 stainless steel
finish: satin/bright



13.115

capacity: 1.2L

material: AISI 304 stainless steel
finish: satin



13.116

capacity: 0.8L

material: AISI 304 stainless steel
finish: satin
liquid or spray

COMPONENTS & MATERIALS

- Stainless steel body.
- Fully welded structure.
- Content viewer on the front.
- Lock with standard key.
- Suitable for chlorine-free hand soap with a neutral pH.

13.103 13.104 13.115

- Chrome-plated ABS thermoplastic valve.
- Chromed brass piston.



TECHNICAL SPECIFICATIONS

13.103 13.104

Body thickness	0.6mm
Suitable soaps	dermatological
Quantity dispensed per pump	1–1.2ml
Operable force	26N
Weight (empty)(1L)	0.55 kg
Weight (empty)(1.2L)	0.7kg

13.115 13.116

Body thickness	0.6mm
Suitable soaps	dermatological
Quantity dispensed per pump	1–1.2ml
Operable force	26N
Weight (empty)(13.115)	0.65 kg
Weight (empty)(13.116)	0.78 kg



13.111

capacity: 1.0L

13.112

capacity: 1.2L

13.112.ST

capacity: 1.1L

material: AISI 304 stainless steel

finish: satin

**13.112.ST****13.113**

capacity: 1.0L

13.114

capacity: 1.2L

13.114.ST

capacity: 1.1L

material: AISI 304 stainless steel



finish: satin

**13.114.ST****COMPONENTS & MATERIALS**

- Stainless steel body.
- Fully welded structure.
- Content viewer on the front.
- Lock and special key supplied.
- Suitable for chlorine-free hand soap with a neutral pH.
- Chromed brass piston.
- Chrome-plated ABS thermoplastic valve.

TECHNICAL SPECIFICATIONS**13.111 13.112 13.112.ST**

Body thickness	0.6mm
Suitable soaps	dermatological
Quantity dispensed per pump	1–1.2ml
Operable force	26N
Weight (empty)(1L)	0.6 kg
Weight (empty)(1.2L)	0.65 kg

13.111**13.112 13.112.ST****13.113 13.114 13.114.ST**

Body thickness	0.6mm
Suitable soaps	dermatological
Quantity dispensed per pump	1–1.2ml
Operable force	26N
Weight (empty)(1L)	0.6 kg
Weight (empty)(1.2L)	0.65 kg

13.113**13.114 13.114.ST**



13.162.ST



13.162

capacity: 1.2L

13.162.ST

capacity: 1.1L

material: AISI 304 stainless steel
finish: satin



13.164.ST



13.164

capacity: 1.2L

13.164.ST

capacity: 1.1L

material: AISI 304 stainless steel
finish: satin

COMPONENTS & MATERIALS

- Stainless steel body.
- Fully welded structure.
- Content viewer on the front.
- Lock and special key supplied.
- Suitable for chlorine-free hand soap with a neutral pH.
- Chromed brass piston.
- Chrome-plated ABS thermoplastic valve.

TECHNICAL SPECIFICATIONS


13.162 13.162.ST

Body thickness	0.6mm
Suitable soaps	dermatological
Quantity dispensed per pump	1–1.2ml
Operable force	26N
Weight (empty)(1L)	0.6 kg
Weight (empty)(1.2L)	0.65 kg


13.164 13.164.ST

Body thickness	0.6mm
Suitable soaps	dermatological
Quantity dispensed per pump	1–1.2ml
Operable force	26N
Weight (empty)(1L)	0.6 kg
Weight (empty)(1.2L)	0.65 kg

13.162 13.162.ST



13.164 13.164.ST



13.122

capacity: **1.2L**

material: AISI 304 stainless steel

finish: satin



13.132

capacity: **1.2L**

material: AISI 304 stainless steel

finish: satin/bright



COMPONENTS & MATERIALS

- Stainless steel body.
- Fully welded structure.
- Content viewer on the front.
- Lock and special key supplied.
- Suitable for chlorine-free hand soap with a neutral pH.
- Chrome-plated ABS thermoplastic valve.
- Chrome-plated plastic nozzle.

TECHNICAL SPECIFICATIONS

13.122

Body thickness	0.6mm
Suitable soaps	dermatological
Quantity dispensed per pump	1–1.2ml
Operable force	26N
Weight (empty)	0.6 kg


13.132

Body thickness	0.6mm
Suitable soaps	dermatological
Quantity dispensed per pump	1–1.2ml
Operable force	26N
Weight (empty)	0.65 kg

13.122



13.132





13.141

capacity: **0.35L**

material: brass pump & PE bottle

finish: chrome/white



13.142

capacity: **1.0L**

material: brass pump & PE bottle

finish: chrome/white

COMPONENTS & MATERIALS

- Vandal-resistant polyethylene tank.
- Bright finish chromed brass piston and spout.
- Fixed push-button.
- Bright finish chromed brass escutcheon.
- Suitable for chlorine-free hand soap with a neutral pH.

13.141

- Removable valve for refilling in the upper part.

13.142

- Removable valve for refilling in the lower part.

TECHNICAL SPECIFICATIONS


13.141

Countertop hole	Φ 28 mm
Escutcheon	Φ 43.5 mm
Suitable soaps	dermatological
Quantity dispensed per pump	1ml
Weight (empty)	0.46 kg


13.142

Countertop hole	Φ 22 mm
Escutcheon	Φ 51 mm
Suitable soaps	dermatological
Quantity dispensed per pump	1ml
Weight (empty)	0.6 kg

13.141



13.142



13.201

capacity: **0.35L**

material: **ABS**

finish: **white**



13.202

capacity: **0.35Lx2**

material: **ABS**

finish: **white**



COMPONENTS & MATERIALS

- ABS thermoplastic body.
- ABS thermoplastic push-button.
- Special lock and key.
- Refill or disposable bottle.
- SAN thermoplastic tank.
- Corrosion-resistant anti-drip valve.
- Suitable for chlorine-free hand soap with a neutral pH.

TECHNICAL SPECIFICATIONS


13.201

Body thickness	3mm
Weight (empty)	0.15 kg
Suitable soaps	dermatological
Quantity dispensed per pump	1ml
Operable force	26N


13.202

Body thickness	3mm
Weight (empty)	0.475 kg
Suitable soaps	dermatological
Quantity dispensed per pump	1ml
Operable force	26N

13.201



13.202





13.205

capacity: **0.8L**

material: **ABS**

finish: **white**



13.206

capacity: **1.0L**

material: **ABS**

finish: **white**



13.213

capacity: **1.0L**

material: **ABS**


finish: **white**

COMPONENTS & MATERIALS

- ABS thermoplastic body.
- ABS thermoplastic push-button.
- Special lock and key.
- Refill or disposable bottle.
- SAN thermoplastic tank.
- Corrosion-resistant anti-drip valve.
- Suitable for chlorine-free hand soap with a neutral pH.


TECHNICAL SPECIFICATIONS

13.205




Body thickness	3mm
Weight (empty)	1.07 kg
Suitable soaps	dermatological
Quantity dispensed per pump	1ml
Operable force	26N

13.206



Body thickness	3mm
Weight (empty)	0.58 kg
Suitable soaps	dermatological
Quantity dispensed per pump	1ml
Operable force	26N

13.213



Body thickness	3mm
Weight (empty)	0.58 kg
Suitable soaps	dermatological
Quantity dispensed per pump	0.8ml
Operable force	26N



silicone rubber tube



disposable soap bottle



soap bag


13.501 350ml
plastic refillable inner bottle

13.502 350ml
plastic disposable inner bottle

13.503 350ml
silicone rubber tube

13.506 1000ml
plastic refillable inner bottle

13.512
foam pump for refillable bottle

13.514
foam pump for disposable bottle

13.515 1000ml
Antibacterial refillable foaming
pump bottle

13.516 1000ml
Antibacterial disposable foaming
pump bottle

13.522
soap bag for 800ml

13.531
suit for 13.122, 13.132

13.532
suit for 13.151

13.533
suit for 13.101

13.523
soap bag for 1000ml

13.534
suit for 13.112.ST

13.535
suit for 13.111

13.536
suit for 13.162